

DR.LIPO+

NEW GENERATION PPC SOLUTION




Dr.Lipo + New generation lipolytic

It contains a safe dosage of phosphatidylcholine and sodium deoxycholate. Additional complex of peptides and L-carnitine. The powerful complex provides fast and long-lasting results. Mesotherapy with lipolytic cocktails is one of the most popular treatments. Our company uses only innovative technologies in the production of any products. Thus ensuring efficiency and safety. Dr. Lipo + is a direct lipolytic and acts on the adipocyte cell by destroying it. An additional complex of peptides acts as a hiding aid at the site of destruction, while providing powerful support for the skin.

Mechanism of action

After the injection of the solution, the adipocyte cell (fat cell) dissolves and turns into a liquid emulsion. It is excreted in a natural way, the effect occurs after 1 procedure.



Active substances

- Phosphatidylcholine - an enzyme that takes part in lipid metabolism, works in combination with sodium deoxycholate, affecting the adipocyte cell.
- Deoxycholate acts as a "destroyer" in combination with phosphatidylcholine. At the same time, they transform the adipocyte cell into an emulsion.
- L-carnitine in this lipolytic is responsible for the transport and formation of energy from the liberated free fatty acids into the mitochondria.



Group of peptides

Acetylhexapeptide, palmitoylpentapeptide.

They are responsible for the "tightening" of the skin flap and contribute to the active production of collagen. Reduce side effects and have a rejuvenating effect.

The zone of injection is subcutaneous - fat layer 13mm

Forearm, waist, abdomen, inner and outer thighs, back, buttocks.
Fibrous cellulite treatment.

Injection zones



Armpit



Back, waist area



Fat deposits in the abdominal area



Fibrous cellulite



Forearm, hips



Benefits of Dr. Lipo +

- Fast result
- Additional skin care
- Minimum sensitivity
- Long lasting effect

Mode of application

- Direct lipolytic to inject deep into the pvc *
- Depth of insertion : 13 mm needle is inserted at right angles on 'pintuck'.
- Classical mesotherapy.
- Adverse reactions : hyperemia, local allergic reaction.
- Painfulness of administration: post-traumatic edema.
- Active massage at the injection site.



Course

For maximum results 3/4 of the procedure once every 14 days.
15 days is the recommended period for using Dr. Lipo + after opening the package.

Recommendations after the procedure

- Exclude visits to the sauna, solarium.
- Drinking plenty of fluids
- Active lifestyle for 3 days after the procedure, biostimulation.

Composition

- Water
- Phosphatidylcholine (PPC)
- Sodium Deoxycholate (Deoxycholic Acid)
- Carnitine
- SP1-EGF
- SP1-FGF1
- Acetyl Hexapeptide-8
- Palmitoyl Pentapeptide-4
- Palmitoyl Tetrapeptide-7
- Nicotinoyl Tripeptide-1
- 1,2-Hexanediol



Release Form

10 ml * 10 vials